92745514 CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-75

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESP

#### See Instructions on back of page 6.

Department of Toxic Substances Control Sacramento, California

r type. Form designed for use on elite (12-pite	Activities of the Control of the Con				185 -	046000000000000000000	cramento, Calit	ATT 2 4 4 4 4 7 4 7 1 1
UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US EPA ID No	. Ma 	inifest Document	1 4	2. Page 1 of 1	is not requir	in the shaded ed by Federal	E252 (2000) (100)
. Generator's Name and Mailing Address		1 101 101 101 -01-50		A. State	Manifest Document	Number	1 1 2 2 4	A
ouglas Aircraft Compan	y Attn: Rob Tuel	.1 (C6-59)			n	34.1	4001	64
9503 South Normandie A					Generator's ID - I - I - I - I - I - I	el al al		
. Generator's Phone (310) 533-797 . Transporter 1 Company Name	O OT (3L) 3-7	D Number	13501-10-		Transporter's ID 💋		4084	9.4
nited Rimping Serv	ice, Ing ETAD	07205			oorter's Phone	<i>(818</i> ) (	161-17	26
eridiaw Environmental S	ervices CAD	0 0 0 0 0 0	3 관설표	· Kag	01-10-94	<u> 1101 "51</u>	3-470	e.
. Transporter 2 Company Name	8. US EPA	ID Number			Fransporter's ID			
Ye 25		1111			orter's Phone		2.3	-
. Designated Facility Name and Site Address	10. US EPA	, ID Number		G. State	Facility's ID	$\mathbb{Z}_{1}$	11/1/4	
iorris Environmental Se 5215 South Boyle Avenue				H. Facilit	y's Phone	<u> </u>	1 * 1 *1	L
os Angeles, CA 90058	<b>C</b>   A  D	0   9   7   0   3	0 9 9 3		ACTUAL CONTRACTOR CONTRACTOR	7111		
1. US DOT Description (including Proper Ship			12. Con	asis felifichen nationiumsn	13. Total	14. Unit Wt/Vol	I. Waste Num	ber
			No.	Туре	Quantity	****	State	201
a. RQ, waste corrosive			4				797 EPA/Other	
PG II (nitric acid,	nydrolluorie ac. <u>DOT E-</u>		0 0 1	T T	19956	р	no	02
b.							State	
	nood 6	605 c		- 1	1 1 1 1		EPA/Other	
C.	1974						State	
- C							EPA/Other	
							LFA) Office	
d.							State	
					1 1 1 1		EPA/Other	
107 170 7 5 11 7 1 7 1	N. J.			K Hond	ling Codes for Wa	stes Listed Ab	ove	
Additional Descriptions for Materials Listed 11a) Transport Sp11	clean up from	tank 95		a.	15	b.		
nitric acid 4-6.5% hydrofluoric acid	_Additional E	PA code: DO	007		<i>( \</i> _/	1,		
hydrofluoric acld water 92.5-90 %	1 % ED 10	110059	3/(3)	c.		d.		
5. Special Handling Instructions and Addition	al Information					4		
24 Hour Emergency Te		800) 424-9:	300 (Che	mtrec	). DOT ER	G# 60		
EH Permit # 4-930525	ia _		D- 11					
	22149		9111	· 1-0	1 ( aw			
6. GENERATOR'S CERTIFICATION: I herel packed, marked, and labeled, and are in	y declare that the contents of the	e consignment are full or transport by highw	ly and accuratel vay according to	y describe applicab	d above by prope e federal, state an	· shipping nan d internationa	ne and are clas I laws.	ssitied,
								ما مداد
If I am a large quantity generator, I cer economically practicable and that I have	colorted the practicable method	of treatment storage	e or disposal c	urrentiv a	diable to me wind	1) (1111)11111762 3	ne presem and	
threat to human health and the environm waste management method that is available	ent; OR, if I am a small quantit	y generator, I have i	made a good f	aith effort	to minimize my w	aste generation	on and select t	ne best
Printed/Typed Name	Signo	ature //	4 0	ar.	-00 D	Mon	th Day	Υε 11 <i>(2</i> )
Robert G. 14	e11, Jr.	KTUPU	<u> </u>	and and the	eu, m	<u> </u>	1 1 4	17
7. Transporter 1 Acknowledgement of Receiptions of Typed Name	st of Materials Signa	ature //	*			Mon	th Day	Ye
ENRIQUE A. GRAN	(ALDOS	E. Stielwin				0	<u>/ / C</u>	47
<ol> <li>Transporter 2 Acknowledgement of Receiptions</li> <li>Transporter 2 Acknowledgement of Receiptions</li> <li>Transporter 2 Acknowledgement of Receiptions</li> </ol>	t of Materials. Signo	ature			<u> </u>	Mor	ith Day	Υe
inica) typea traine	A A A A A A A A A A A A A A A A A A A							
19. Discrepancy Indication Space	1.0 Offertoxin	Barkton	R. F. Ares	text	1- 0000	4. L.L	<i>4. 40</i> 0	Ω,
20. Facility Owner or Operator Certification			ifest except as r	noted in It	em 19.	1 4	al 5	·
20. Facility Owner or Operator Certification or Printed/Typed Name	of receipt of hazardous materials		ifest except as r	noted in Ite	em 19.	Mor	ith Day	Ye L I O

Yellowi

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

	*UNIFORM HAZARDOUS WASTE MANIFEST  1. Generator's US EP	A ID No. Manif	fest Documen	1 4	2. Page 1	Information is not require	n the shaded areas d by Federal law.	
	3. Generator's Name and Mailing Address  Douglas Aircraft Company Attn: Rob 19503 South Normandie Avenue, Torra 4. Generator's Phone (310) 533-7926 or (310) 5 5. Transporter 1 Company Name 6. United Rumping Service, Transporter	nce, CA 90502 33-7231 US PA D Number	30-10-1 771	B. State (	Manifest Document  Generator's ID    A H O 3  Transporter's ID	927 stotots	45514 188494	
	7. Transporter 2 Company Name 8.  9. Designated Facility Name and Site Address 10. Norris Environmental Services 5215 South Boyle Avenue	US EPA ID Number  US EPA ID Number		E. State 1  F. Transp G. State H. Facility		111	-7320	
	Los Angeles, CA 90058   C    11. US DOT Description (including Proper Shipping Name, Hazard Class		9 9 3 12. Con		(3) 588- 7 13. Total	14. Unit		
,	RQ, waste corrosive liquids, n.o	.s., 8, UN1760,	No.	Type	Quantity 1   9   9   5   0	S	Waste Number tate 792 PA/Other DIGG2	
1	b.		1 1	1		E	tate PA/Other	
)	d.		1 1	1			PA / Other	
	J. Additional Descriptions for Materials Listed Above  11a) Total Spill clean up fr  nitric acid 4-6.5% hydrofluoric acid 1			K. Handli a.	ng Codes for Waste		PA/Other	
	15. Special Handling Instructions and Additional Information  24 Hour Emergency Telephone Number (800) 424-9300 (Chemtrec). DOT ERG# 60  EH Permit # 4-93052513							
	16. GENERATOR'S CERTIFICATION: I hereby declare that the content packed, marked, and labeled, and are in all respects in proper content of the packed, marked, and labeled, and are in all respects in proper content. I am a large quantity generator, I certify that I have a prograte economically practicable and that I have selected the practicable in threat to human health and the environment; OR, if I am a small waste management method that is available to me and that I can an expectation.	dition for transport by highway of m in place to reduce the volum nethod of treatment, storage, or quantity generator, I have mad	according to se and toxici r disposal cu	applicable ty of waster rrently ava	federal, state and in e generated to the ilable to me which	nternational la degree I have minimizes the	ws. determined to be present and future	
7	Printed/Typed Name Robert G. Tuell, Jr.  17. Transporter 1 Acknowledgement of Receipt of Materials	Signature Rollant	B.:	Tue	ell, Jo.	Month	Day Year   1   0   9   4	
	Printed/Typed Name  FURIAUE A. GRAIN ADOS  18. Transporter 2 Acknowledgement of Receipt of Materials	Signature				Month 8 /	Day Year / / 0 9 4	
	Printed/Typed Name	Signature				Month	Day Year	
	Discrepancy Indication Space      Profile Output to Operator Codification of social of boundary and the second of the secon			LJC II	10		page 1979 Services and the services	
	20. Facility Owner or Operator Certification of receipt of hazardous ma Printed/Typed Name	sterials covered by this manifest Signature	except as no	ted in Item	1 <b>У</b> :	Month	Day Year	

DO NOT WRITE BELOW THIS LINE.

92745514

NSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RI

# RESTRICTION NOTIFICATION

	IRICTION MOTHICATION
-, 22.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	EPA ID Number: <u>CAD 0865 10005</u> Date of Shipment: <u>01 - 10 - 94</u>
Manifest Number: 455/4 / 927455/4	Date of Shipment:
Indicate Waste Line Item (11): a	12. 122.1
described in 40 CFR Fart 200 which promote the made to	RONMENTAL SERVICES in compliance with EPA regulations posal of certain hazardous wastes, unless these wastes are treated tment technologies.
I have marked the appropriate box(es) below, which indicates be federal regulations.	now my waste must be managed to conform to land disposal ban and/or
RCKA Land Disposal Notlfication D002, D007	No F039 California List Wastes Notification
Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at	Waste Requires Treatment
concentrations greater than or equal to 1000mg/L.	I am the initial generator of an untreated waste identified
Proceedings of Standard-Cyanide Destruction Stabilization	anore in the An CEP 268 Subpart D. or where no

Treatment Standard-Cyanide Destruction Stabili

🗶 Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Metals Recovery Stabilization

### (check those that apply)

	Arsenic und/or compounds (as As) Barium and/or compounds (as Ba) Cadmium and/or compounds (as Cd) Chromium (VI and/or compounds as Cr VI) Lead and/or compounds (as Pb) Mercary and/or compounds (as Hg) Selenium and/or compounds (as Se) Silver and/or compounds (as Ag)	5.0 mg/L; 100.0 mg/L; 1.0 mg/L; 5.0 mg/L; 5.0 mg/L; 0.2 mg/L; 1.0 mg/L; 5.0 mg/L
--	--	---

 Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/l. HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boller, other thermal treatment

Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

Trentment Standard-Neutralization Stabilization

The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Trentment Standard-Specify technology used to meet Table CCWE Check constituent(s) on Table CCWE which were reduced below treatment standards

ied ent standard set forth in 40 CFR 268 Subpart D, or where no treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFR 268.32.

## Waste Treated to Performance Standards

The waste identified above has been treated in compliance with the applicable performance standars specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penulties for submitting a false certification, including the possibility of a fine and imprisonment.

#### Waste Subject to Variance

D The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

de most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Signature

THE 34470 P	Wer fant and downs of 2114, 45 (2)	DRUM CESHS.	· ·
TAUCK B: 19-T100	CONTENTS: Waste Acids (Whic & Buted force) From Buter fant and downs of 2114 45 (2)	DISPOSAL FACILITY: MORRIS IN d.	اللا